

## Dimensioni dei coni **Morse** secondo le norme **DIN 228**

Cono Morse	A mm	B mm	C mm	D mm	E mm	F mm	Conicità %
0	59,5	56,5	9,045	6,1	3,9	9,2	5,205
1	65,5	62,0	12,065	9,0	5,2	12,2	4,988
2	80,0	75,0	17,780	14,0	6,3	18,0	4,995
3	99,0	94,0	23,825	19,1	7,9	24,1	5,020
4	124,0	117,5	31,267	25,2	11,9	31,6	5,194
5	156,0	149,5	44,399	36,5	15,9	44,7	5,263
6	218,0	210,0	63,348	52,4	19,0	63,8	5,214

